



## References

### Skin Prick Testing for the Diagnosis of Allergic Disease

- Bernstein, D. I., Wanner, M., Borish, L., Liss, G. M. & Immunotherapy Committee of the American Academy of Allergy, Asthma and Immunology. (2004). Twelve-year survey of fatal reactions to allergen injections and skin testing: 1990-2001. *J Allergy Clin Immunol*; 113(6), 1129-1136. DOI: 10.1016/j.jaci.2004.02.006. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/15208595>
- Bernstein, I. L., & Storms, W. W., (1995). Practice parameters for allergy diagnostic testing. Joint Task Force on Practice Parameters for the Diagnosis and Treatment of Asthma. The American Academy of Allergy, Asthma and Immunology and the American College of Allergy, Asthma and Immunology. *Ann Allergy Asthma Immunol*, 75(6), 543-625 PMID: 8521115
- Carr, W. W., Martin, B, Howard, R. S., Cox, L., Borish, L. (2005). Comparison of test devices for skin prick testing. *J Allergy Clin Immunol*, 116(2), 341-6. DOI: 10.1016/j.jaci.2005.03.035. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/16108145>
- Carter, E. R., Pulos, E., Delaney, J., Matheson, E. J., & Moffitt, D. R. (2000). Allergy history does not predict skin test reactivity in asthmatic children. *J Asthma*, 37(8), 685-690. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/11192233>
- Clark, A. T., & Ewan, P. W. (2003). Interpretation of tests for nut allergy in one thousand patients, in relation to allergy or tolerance. *Clin Exp Allergy*, 33(8), 1041-1045. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/12911776>.
- Demoly, P., Piette, V., & Bousquet, J., (2003). In vivo methods for study of allergy- skin tests, techniques and interpretation. In- Yunginger J, Busse W, Bochner B, Holgate S, Adkinson NF (eds). Middleton's Allergy Principles and Practice ed.6, Chapter 38.

Des Roches, A., Paradis, L., Bougeard, Y. H., Godard, P., Bousquet, J., & Chanez, P. (1996). Long-term oral corticosteroid therapy does not alter the results of immediate-type allergy skin prick tests. *J Allergy Clin Immunol*, 98(3), 522-527. DOI: 10.1016/s0091-6749(96)70085-4. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/8828529>

Devenney, I., Falth-Magnusson, K., (2000). Skin prick tests may give generalised allergic reactions in infants. *Ann Allergy Asthma Immunol*, 85(6), 457-460. DOI: 10.1016/S1081-1206(10)62571-9. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/11152165>

Dolen, W. K., (2001). Skin Testing. *Immunology and Allergy Clinics of North America*. 21 (entire edition).

Dreborg, S. (2001). Diagnosis of food allergy: tests in vivo and in vitro. *Pediatr Allergy Immunol*, 12(14), 24-30. Retrieved from <https://onlinelibrary.wiley.com/doi/abs/10.1034/j.1399-3038.2001.121406.x?sid=nlm%3Apubmed&>

Dreborg, S., (1989). Subcommittee on skin tests of the European Academy of Allergology and Clinical Immunology. Skin tests used in type 1 allergy testing- Position paper. *Allergy*, 44(10), 1-59. PMID: 2683837

Dreborg, S., Backman, A., Basomba, A., Bousquet, J., Dieges, P., & Malling, H. J., (editors), (1989). Skin tests used in type 1 allergy testing. Position paper prepared by the subcommittee on skin tests of the European Academy of Allergology and Clinical Immunology. *Allergy*, 44(10), 11-59. Retrieved from <https://onlinelibrary.wiley.com/toc/13989995/1989/44/s10>

Golden, D. B., Kagey-Sobotka, A., Norman, P. S., Hamilton, R. G., & Lichtenstein, L. M. (2001). Insect sting allergy with negative venom skin test responses. *J Allergy Clin Immunol*, 107, 897-901. DOI: 10.1067/mai.2001.114706. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/11344359>

- Hedde, R. J., & Tao, B., (2002). Guidelines for performing a skin prick test. *Medicine Today*, 3(3), 67-70. Retrieved from <https://medicinetoday.com.au/2002/march/regular-series/guidelines-performing-skin-prick-test>
- Idrajana, T., Spieksma, F. T., & Vorrhorst, R. (1971). Comparative study of the intracutaneous, scratch, and prick tests in allergy. *Ann Allergy*, 29(12), 639-650. PMID: 5126839.
- Kanthawatana, S., Maturim, W., Fooanan, S., & Trakultivakorn, M. (1997). Skin prick reaction and nasal provocation response in diagnosis of nasal allergy to the house dust mite. *Ann Allergy Asthma Immunol*, 79(5), 427–430. DOI: 10.1016/S1081-1206(10)63038-4. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/9396976>
- Kelso, J. M. (2007). Application of topical corticosteroids to sites of positive immediate-type allergy skin tests to relieve itching: results of a double-blind, placebo-controlled trial. *Ann Allergy Asthma Immunol*, 98(2), 182–184. DOI: 10.1016/S1081-1206(10)60694-1. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/17304888>
- Kupczyk, M., Kuprys, I., Gorski, P., & Kuna P (2001). Not one lancet for multiple SPT. *Allergy* 2001, 56(3), 256-257. DOI: 10.1034/j.1398-9995.2001.056003256.x. Retrieved from <https://onlinelibrary.wiley.com/doi/abs/10.1034/j.1398-9995.2001.056003256.x>
- Liccardi, G., D'Amato, G., Canonica G. W., Salzillo, A., Piccolo, A., & Passalacqua, G. (2006). Systemic reactions from skin testing: literature review. *J Investig Allergol Clin Immunol*, 16(2), 75-78. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/16689179>
- Lockey, R. F. (2002). AAAAI Position Statement: The wait period after allergen immunotherapy and skin testing. Retrieved from [https://www.aaaai.org/Aaaai/media/MediaLibrary/PDF%20Documents/Practice%20and%20Parameters/Wait-period-after-immunotherapy-and-skin-testing\\_1.pdf](https://www.aaaai.org/Aaaai/media/MediaLibrary/PDF%20Documents/Practice%20and%20Parameters/Wait-period-after-immunotherapy-and-skin-testing_1.pdf)

- McCann, W. A., & Ownby, D. R. (2002). The reproducibility of the allergy skin test scoring and interpretation by board-certified/board eligible allergists. *Ann Allergy Asthma Immunol*, 89(4), 368-371 . Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/12392380>
- Nelson, H. S., Knoetzner, J, & Bucher, B., (1996). Effect of distance between sites and region of the body on results of skin prick tests. *J Allergy Clin Immunol*, 97(2), 596-601. DOI: 10.1016/s0091-6749(96)70304-4. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/8621844>
- Nelson, H. S., Oppenheimer, J., Buchmeier, A.,Kordash, T. R., & Freshwater, L. L. (1996). An assessment of the role of intradermal skin testing in the diagnosis of clinically relevant allergy to timothy grass. *J Allergy Clin Immunol*, 97(6), 1193-1201. DOI: 10.1016/s0091-6749(96)70184-7. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/8648012>
- Norman, P. S., & Stokes Peebles, R., (1997). In vivo diagnostic allergy testing methods. In- Rose NR, de Macario EC, Folds JD, Lane HC, Nakamura RM (eds). *Guide of Clinical Laboratory Immunology* ed. 5, Chapter 108. ASM Press, Washington DC
- Novembre, E., Bernardini, R., & Bertini, G., (1995). Skin prick test induced anaphylaxis. *Allergy*, 50(6), 511-513. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/7573845>
- O'Brien, R. M., (2002). Skin prick testing and in-vitro assays for allergic sensitivity. *Aust Prescr*, 25; 91-93. DOI: 10.18773/austprescr.2002.077. Retrieved from <https://www.nps.org.au/australian-prescriber/articles/skin-prick-testing-and-in-vitro-assays-for-allergic-sensitivity>
- Oppenheimer, J., & Nelson, H. S. (2006). Skin testing: a survey of allergists. *Ann Allergy Asthma Immunol*; 96(1), 19-23. DOI: 10.1016/S1081-1206(10)61034-4. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/16440527>
- Piette, V., Bourret, E., Bousquet, J., & Demoly, P (2002). Prick tests to aeroallergens: Is it possible simply to wipe the device between tests? *Allergy*, 57(10), 940-942. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/12269942>

- Pipkorn, U., Hammarlund, A., & Enerback, L. (1989). Prolonged treatment with topical corticosteroids results in an inhibition of the allergen-induced wheal-and-flare response and a reduction in skin mast cell numbers and histamine content. *Clin Exp Allergy*, 19(1), 19-25. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/2649213>
- Portnoy, J. (2002). What do allergy skin tests really mean? *Ann Allergy Asthma Immunol*, 89(4), 335-336. DOI: 10.1016/S1081-1206(10)62028-5. Retrieved from [https://www.annallergy.org/article/S1081-1206\(10\)62028-5/pdf](https://www.annallergy.org/article/S1081-1206(10)62028-5/pdf)
- Portnoy, J. (2006). Diagnostic testing for allergies. *Ann Allergy Asthma Immunol*, 96(1), 3-4. DOI: 10.1016/S1081-1206(10)61031-9. Retrieved from [https://www.annallergy.org/article/S1081-1206\(10\)61031-9/pdf](https://www.annallergy.org/article/S1081-1206(10)61031-9/pdf)
- Rao, K. S., Menon, P. K., Hilman, B. C., Sebastian, C. S., & Bairnsfather, L. (1988). Duration of the suppressive effect of tricyclic antidepressants on histamine-induced wheal-and-flare reactions in human skin. *J Allergy Clin Immunol*, 82(5), 752-757. DOI:10.1016/0091-6749(88)90075-9. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/2903876>
- Rhodus, R., Wickens, K., Cheng, S., & Crane, J. (2002). A comparison of two skin test methodologies and allergens from two different manufacturers. *Ann Allergy Asthma Immunol*, 88(4), 374–379. DOI: 10.1016/S1081-1206(10)62367-8. Retrieved from <https://www.sciencedirect.com/science/article/abs/pii/S1081120610623678>
- Roberts, G., & Lack, G. (2005). Diagnosing peanut allergy with skin prick and specific IgE testing. *J Allergy Clin Immunol*, 115(6), 1291-1296. DOI: 10.1016/j.jaci.2005.02.038. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/15940149>

- Schwindt, C. D., Hutcheson, P.S., Leu, S. Y., & Dykewicz, M. S. (2005). Role of intradermal skin tests in the evaluation of clinically relevant respiratory allergy assessed using patient history and nasal challenges. *Ann Allergy Asthma Immunol*, 94(6), 627–633. DOI: 10.1016/S1081-1206(10)61319-1. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/15984593>
- Skoner, D. P., Gentile, D. A., Angelini, B., & Doyle, W. J. (2006). Allergy skin test responses during experimental infection with respiratory syncytial virus. *Ann Allergy Asthma Immunol*, 96(6), 834-839. DOI: 10.1016/S1081-1206(10)61346-4. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/16802771>
- Spergel, J. M., Nurse, N., Taylor, P., ParneixSpake, A. (2004). Effect of topical pimecrolimus on epicutaneous skin testing. *J Allergy Clin Immunol* 2004; 114:695-6. DOI: 10.1016/j.jaci.2004.05.067. Retrieved from [https://www.jacionline.org/article/S0091-6749\(04\)01588-X/fulltext](https://www.jacionline.org/article/S0091-6749(04)01588-X/fulltext)
- Turkeltaub, P. C., & Gergen, P. J. (1989). The risk of adverse reactions from percutaneous prick-puncture allergen skin testing, venipuncture, and body measurements: data from the second National Health and Nutrition Examination Survey 1976-1980 (NHANES II). *J Allergy Clin Immunol*, 84(6), 886-890. DOI: 10.1016/0091-6749(89)90384-9. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/2600322>
- Turkeltaub, P. C., (2000). Percutaneous and intracutaneous diagnostic tests of IgE-mediated diseases (immediate hypersensitivity). *Clin Allergy Immunol*, 15, 53-87. PMID: 10943288
- Valyasevi, M. A., Maddox, D. E., & Li, J. T. C. (1999). Systemic reactions to allergy skin tests. *Ann Allergy Asthma Immunol*; 83, 132–136. DOI: 10.1016/S1081-1206(10)62624-5. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/10480586>

van der Zee, J. S., de Groot, H., van Swieten, P., Jansen, H. M., & Aalberse, R. C. (1988).

Discrepancies between the skin test and IgE antibody assays: study of histamine release, complement activation in vitro, and occurrence of allergen-specific IgG. *J Allergy Clin Immunol*, 82(2), 270-281. DOI:10.1016/0091-6749(88)91011-1. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/3261308>

Wood, R. A., Phipatanakul, W., Hamilton, R. G., & Eggleston, P. A. (1999). A comparison of skin prick tests, intradermal skin tests, and RASTs in the diagnosis of cat allergy. *J Allergy Clin Immunol*, 103, 773-779. DOI: 10.1016/s0091-6749(99)70419-7. Retrieved from

<https://www.ncbi.nlm.nih.gov/pubmed/10329809>