

Allergen Immunotherapy Guide

REFERENCES

- Abramson, M. J., Puy, R. M., & Weiner, J. M. (2010). Injection allergen immunotherapy for asthma. *Cochrane Database Syst Rev*, 4(8):CD001186. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/20687065>
- Alessandrini, A. E., Berra, D., Rizzini, F. L., Mauro, M., Melchiorre, A., Rossi, F., & Burastero, S. E. (2006). Flexible approaches in the design of subcutaneous immunotherapy protocols for Hymenoptera venom allergy. *Ann Allergy Asthma Immunol*, 97(1), 92-97. DOI: 10.1016/S1081-1206(10)61376-2. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/16892788>
- Alvarez-Twose, I., Zanotti, R., Gonzalez-de-Olano, D., Bonadonna, P., Vega, A., Matito, A., & Escribano, L. (2014). Nonaggressive systemic mastocytosis (SM) without skin lesions associated with insect induced anaphylaxis shows unique features versus other indolent SM. *J Allergy Clin Immunol*, 133(2), 520-528. DOI: 10.1016/j.jaci.2013.06.020. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/23921094>
- Bae, J. M., Choi, Y. Y., Park, C. O., Chung, K. Y., & Lee, K. H. (2013). Efficacy of allergen-specific immunotherapy for atopic dermatitis: a systematic review and meta-analysis of randomized controlled trials. *J Allergy Clin Immunol*, 132(2), 110-117. DOI: 10.1016/j.jaci.2013.02.044. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/23647790>
- Baena-Cagnani, C. E., Patiño C. M., & Cáceres, M. S. (1987). Pollinosis: some immunologic and regional considerations and the description of Melia azedarach respiratory allergy. *Allergol Immunopathol (Madr)*, 15(6), 393-397. PMID: 2895575. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/2895575>
- Calabria, C. W., Coop, C. A., & Tankersley, M. S. (2008). The GILL study: glycerin-induced local reactions in immunotherapy. *The Journal of Allergy and Clinical Immunology*, 121(1), 222-226. DOI: 10.1016/j.jaci.2007.08.016. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/17919703>

- Calabria, C. W., Coop, C. A., & Tankersley, M. S. (2009). The LOCAL Study: Local reactions do not predict local reactions in allergen immunotherapy. *J Allergy Clin Immunol*, 124(4), 739-744. doi: 10.1016/j.jaci.2009.07.048. Epub 2009 Sep 19. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/19767075>
- Calabria, C. W., Stolfi, A., & Tankersley, M. S. (2011). The REPEAT study: recognizing and evaluating periodic local reactions in allergen immunotherapy and associated systemic reactions. *Ann Allergy Asthma Immunol*, 106(1), 49–53. doi: 10.1016/j.anai.2010.10.025. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/21195945>
- Calderon, M. A., Alves, B., Jacobson, M., Hurwitz, B., Sheikh, A., & Durham, S. (2007). Allergen injection immunotherapy for seasonal allergic rhinitis. *Cochrane Database Syst Rev*, CD001936. DOI: 10.1002/14651858.CD001936.pub2. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/17253469>
- Calderon, M. A., Penagos, M., Sheikh, A., Canonica, G. W., & Durham, S. R. (2011). Sublingual immunotherapy for allergic conjunctivitis: Cochrane systematic review and meta-analysis. *Clin Exp Allergy* 41(9), 1263-1272. DOI: 10.1111/j.1365-2222.2011.03835.x. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/21848759>
- Calderon, M. A., Boyle, R. J., Penagos, M., & Sheikh, A. (2011). Immunotherapy: The meta-analyses. What have we Learned? *Immunol Allergy Clin North Am*, 31(2), 159-173, vii. doi: 10.1016/j.iac.2011.02.002. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/21530812>
- Calderón, M. A., Simons, F. E., Malling, H.-J., Lockey, R. F., Moingeon, P., & Demoly, P. (2012). Sublingual allergen immunotherapy: mode of action and its relationship with the safety profile. *Allergy*, 67(3), 302–311. DOI: 10.1111/j.1398-9995.2011.02761.x. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/22150126>
- Ciprandi, G., Incorvaia, C., Dell'albani, I., Ricciardi, L., Puccinelli, P., & Frati, F., RINOBIT Study Group. (2014). Patients' perception in assessing allergen immunotherapy. *Allergol Immunopathol (Madr)*, 42(6), 629-631. PMID: 24269181. DOI: 10.1016/j.aller.2013.07.006. Epub 2013 Oct 23. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/24269181>

- Ciprandi, G., Tosca, M. A., & Silvestri, M. (2014). The practical role of serum allergen-specific IgE as potential biomarker for predicting responder to AIT. *Expert Rev Clin Immunol*, 10(3), 321-324. Retrieved from <https://www.tandfonline.com/doi/full/10.1586/1744666X.2014.872032>
- Committee on the Safety of Medicines. Desensitising Vaccines. *Brit Med J* 1989; 293:948. Check this isn't meant to be: Naish, P. F., & Mucklow, J. C. (1986). Desensitising Vaccines: and allergist's view. *Br Med J (Clin Red Ed)*, 293 (6555), 1170. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1341867/>
- Compalati, E., Penagos, M., Tarantini, F., Passalacqua, G., & Canonica, G. W. (2009). Specific immunotherapy for respiratory allergy: state of the art according to current meta-analyses. *Ann Allergy Asthma Immunol*. 102(1), 22-28. doi: 10.1016/S1081-1206(10)60103-2. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/19205281>
- Coop, C., Yip, S. K., & Tankersley, M. S. (2014). The dry needle technique. *Ann Allergy Asthma Immunol*, 113 , 120-121. DOI: 10.1016/j.anai.2014.05.010. Retrieved from [https://www.annallergy.org/article/S1081-1206\(14\)00310-X/fulltext](https://www.annallergy.org/article/S1081-1206(14)00310-X/fulltext)
- Cox, L. S., Hankin, C., & Lockey, R. (2014). Allergy immunotherapy adherence and delivery route: location does not matter. *J Allergy Clin Immunol Pract.*, 2(2),156-160. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/24607042>
- Cox, L. S., Larenas Linnemann, D., Nolte, H., Weldon, D., Finegold, I., & Nelson, H. S. (2006). Sublingual immunotherapy: A comprehensive review. *J Allergy Clin Immunol*, 117(5),1021-1035. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/16675328>
- Davies, J. M., Li, H., Green, M., Towers, M., & Upham, J. W. (2012). Subtropical grass pollen allergens are important for allergic respiratory diseases in subtropical regions. *Clin Transl Allergy*, 5; 2(1), 4. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/22409901>
- Des Roches, A., Paradis, L., Menardo, J. L., Bouges, S., Daures, J. P. & Bousquet, J. (1997). Immunotherapy with a standardized Dermatophagoides pteronyssinus extract. VI. Specific immunotherapy prevents the onset of new sensitizations in children. *J Allergy Clin Immunol*, 99(4), 450-453. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/9111487>
- Dhami S, Kakourou A, Asamoah F, Agache I, Lau S, Jutel M., ... Sheikh A. Allergen immunotherapy for allergic asthma: A systematic review and meta-analysis. *Allergy*. 2017 Dec;72(12):1825-

1848. doi: 10.1111/all.13208. Epub 2017 Jul 6. Review. PubMed PMID: 28543086. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/28543086>
- Dhami S, Nurmatov U, Arasi S, Khan T, Asaria M, Zaman H., ... Sheikh A. Allergen immunotherapy for allergic rhinoconjunctivitis: A systematic review and meta-analysis. *Allergy*. 2017 Nov;72(11):1597-1631. doi: 10.1111/all.13201. Epub 2017 Jul 14. Review. PubMed PMID: 28493631. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/28493631>
- Di Bona, D., Plaia, A., Leto-Barone, M. S., La Piana, S. & Di Lorenzo, G. (2012). Efficacy of subcutaneous and sublingual immunotherapy with grass allergens for seasonal allergic rhinitis: a meta-analysis-based comparison. *J Allergy Clin Immunol* 130(5), 1097-1107 e2. doi: 10.1016/j.jaci.2012.08.012. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/23021885>
- Didier, A., Worm, M., Horak, F., Sussman, G., de Beaumont, O., Le Gall, M., Melac, M., & Malling, H. J. (2011). Sustained 3-year efficacy of pre- and coseasonal 5-grass-pollen sublingual immunotherapy tablets in patients with grass pollen-induced rhinoconjunctivitis. *J Allergy Clin Immunol*, 128(3), 559-566. doi: 10.1016/j.jaci.2011.06.022. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/21802126>
- Durham, S. R., Emminger, W., Kapp, A., de Monchy, J. G., Rak, S., Scadding, G. K., Wurtzen, P. A., Andersen, J. S., Tholstrup, B., Riis, B., & Dahl, R. (2012). SQ-standardized sublingual grass immunotherapy: confirmation of disease modification 2 years after 3 years of treatment in a randomized trial. *J Allergy Clin Immunol* 129(3), 717-725 e5. doi: 10.1016/j.jaci.2011.12.973. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/22285278>
- Dretzke, J., Meadows, A., Novielli, N., Huissoon, A., Fry-Smith, A., & Meads, C. (2013). Subcutaneous and sublingual immunotherapy for seasonal allergic rhinitis: a systematic review and indirect comparison. *J Allergy Clin Immunol*, 131(5), 1361-1366. doi: 10.1016/j.jaci.2013.02.013. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/23557834>
- Eifan, A. O., Akkoc, T., Yildiz, A., Keles, S., Ozdemir, C., Bahceciler, N. N., & Barlan, I. B. (2010). Clinical efficacy and immunological mechanisms of sublingual and subcutaneous immunotherapy in asthmatic/rhinitis children sensitized to house dust mite: an open randomized controlled trial. *Clin Exp Allergy*, 40(6), 922-932. doi: 10.1111/j.1365-2222.2009.03448.x. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/20100188>

- Epstein, T. G., Liss, G. M., Murphy-Berendts, K., Bernstein, D. (2011). Immediate and delayed-onset systemic reactions after subcutaneous immunotherapy injections: ACAAI/AAAAI surveillance study of subcutaneous immunotherapy-year 2. *Ann Allergy Astma Immunol*, 107(5), 426-431. Retrieved from <https://www.sciencedirect.com/science/article/pii/S1081120611003875>
- Ewbank, P. A., Murray, J., Sanders, K., Curran-Everett, D., Dreskin, S., & Nelson, H. S. (2003). A double-blind, placebo-controlled immunotherapy dose-response study with standardized cat extract. *J Allergy Clin Immunol*, 111, 155-161. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/12532112>
- Gendelman, S. R., & Lang, D. M. (2013). Specific immunotherapy in the treatment of atopic dermatitis: a systematic review using the GRADE system. *Ann Allergy Asthma Immunol*, 111, 555-561. doi: 10.1016/j.anai.2013.08.020. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/24267368>
- Golden, D. B. K., Kagey-Sobotka, A., Norman, P. S., Hamilton, R.G., & Lichtenstein, L. M. (2001). Insect allergy with negative skin tests. *JACI*, 107, 897-901. Retrieved from [https://www.jacionline.org/article/S0091-6749\(01\)42836-3/fulltext](https://www.jacionline.org/article/S0091-6749(01)42836-3/fulltext)
- Hedlin, G., & van Hage, M. (2012). The role of immunotherapy in the management of childhood asthma. *Thorax*, 67(3), 137-146. doi: 10.1177/1753465812439793. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/22438265>
- Howarth, P., Malling, H. J., Molimard, M., & Devillier, P. (2012). Analysis of allergen immunotherapy studies shows increased clinical efficacy in highly symptomatic patients. *Allergy*, 67(3), 321-327. doi: 10.1111/j.1398-9995.2011.02759.x. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/22142377>
- Hunt, K. J., Valentine, M. D., Sobotka, A. K., Benton, A. W., Amodio, F. J., Lichtenstein, L. M. (1978) A controlled trial of immunotherapy in insect hypersensitivity. *N Engl J Med*, 299(4), 157-161. DOI: 10.1056/NEJM197807272990401. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/78446>
- Jacobsen, L., Niggemann, B., Dreborg, S., Ferdousi, H.A., Halken, S., Host, A., Koivikko, A., Norberg, L.A., Valovirta, E., Wahn, U., & Moller, C. (2007). Specific immunotherapy has long-term preventive effect of seasonal and perennial asthma: 10-year follow-up on the PAT study.
-

- Allergy* 62(8), 943-948. doi: 10.1111/j.1398-9995.2007.01451.x. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/17620073>
- Keles, S., Karakoc-Aydiner, E., Ozen, A., Izgi, A. G., Tevetoglu, A., Akkoc, T., Bahceciler, N. N., & Barlan, I. (2011). A novel approach in allergen-specific immunotherapy: combination of sublingual and subcutaneous routes. *J Allergy Clin Immunol*, 128(4), 808-815 e7. doi: 10.1016/j.jaci.2011.04.033. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/21641635>
- Kelso, J.M. (2004). The rate of systemic reactions to immunotherapy injections is the same whether or not the dose is reduced after a local reaction. *Ann Allergy Asthma Immunol*, 92(2), 225–227. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/14989390>
- Kette, F., Smith, W. (2011). Sublingual immunotherapy: Allergen specific or placebo effect? *J Allergy Clin Immunol*, 128(2), 430. Retrieved from [https://www.jacionline.org/article/S0091-6749\(11\)00749-4/fulltext](https://www.jacionline.org/article/S0091-6749(11)00749-4/fulltext)
- Khinchi, M. S., Poulsen, L. K., Carat, F., Andre, C., Hansen, A. B., & Malling, H. J. (2004). Clinical efficacy of sublingual and subcutaneous birch pollen allergen-specific immunotherapy: a randomized, placebo-controlled, double-blind, double-dummy study. *Allergy* 59(1), 45-53. doi: 387 [pii]. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/14674933>
- Kiel, M. A., Röder, E., Gerth van Wijk, R., Al, M. J., Hop, W. C., & Rutten-van Mölken, M. P. (2013). Real-life compliance and persistence among users of subcutaneous and sublingual allergen immunotherapy. *J Allergy Clin Immunol*, 132(2), 353-60. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/23651609>
- Kim, J. M., Lin, S. Y., Suarez-Cuervo, C., Chelladurai, Y., Ramanathan, M., Segal, J. B., & Erekosima, N. (2013) Allergen-specific immunotherapy for pediatric asthma and rhinoconjunctivitis: a systematic review. *Pediatrics*, 131(6), 1155-1167. doi: 10.1542/peds.2013-0343. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/23650298>
- Korosec, P., Valenta, R., Mitterman, I., Celesnik, N., Erzen, R., Zidarn, M., & Kosnik, M.(2011). Low sensitivity of commercially available rApi m 1 for diagnosis of honey bee venom allergy. *JACI*, 128(3), 671-673. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/21481443>

- Larenas-Linnemann, D., Blaiss, M., Van Bever, H. P., Compalati, E., & Baena-Cagnani, C. E. (2013). Pediatric sublingual immunotherapy efficacy: evidence analysis, 2009-2012. *Ann Allergy Asthma Immunol*, 110, 402-415. doi: 10.1016/j.anai.2013.02.017. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/23706708>
- Lin, S. Y., Erekosima, N., Kim, J.M., Ramanathan, M., Suarez-Cuervo, C., Chelladurai, Y., Ward, D., & Segal, J. B. (2013). Sublingual immunotherapy for the treatment of allergic rhinoconjunctivitis and asthma: a systematic review. *JAMA*, 309(12), 1278-1288. doi: 10.1001/jama.2013.2049. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/23532243>
- Linneberg, A., Jacobsen, R. K., Jespersen, L., & Abildstrom, S. Z. (2012). Association of subcutaneous allergen-specific immunotherapy with incidence of autoimmune diseases, ischemic heart disease, and mortality. *J Allergy Clin Immunol*, 129(2), 413-419. doi: 10.1016/j.jaci.2011.09.007. Epub 2011 Oct 17.. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/22004944>
- Lucendo, A. J., Arias, A., & Tenias, J.M. (2014). Relation between eosinophilic esophagitis and oral immunotherapy for food allergy: a systematic review with meta-analysis. *Ann Allergy Asthma Immunol*, 113(6), 624-629.. doi: 10.1016/j.anai.2014.08.004. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/25216976>
- Marshall, G.D., & Morris, A. E. (2012). Safety of Allergen Immunotherapy: a review of premedication and dose adjustment. *Immunotherapy*, 4(3), 315-322. Retrieved from https://www.medscape.com/viewarticle/762698_1
- Martinez Canavate, A., Eseverri, J. L., Rodenas, R., Tabar, A.I., Gardee, J., Torres, J., Bone, J., & Pedemonte, C. (2005). Evaluation of paediatric tolerance to an extract of *Alternaria alternata* under two treatment regimes. A multicentre study. *Allergol Immunopathol (Madr)*, 33(3), 138-141. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/15946625>
- Mueller, U. R. (2007). Cardiovascular disease and anaphylaxis. *Curr Opin Allergy Clin Immunol*, 7(4), 337-341. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/17620826>
- Nelson, H., Blaiss, M., Nolte, H., Wurtz, S. O., Andersen, J. S. & Durham, S. R. (2013). Efficacy and safety of the SQ-standardized grass allergy immunotherapy tablet in mono- and polysensitized

- subjects. *Allergy*, 68(2), 252-255. doi: 10.1111/all.12074. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/23205670>
- Pajno, G. B., Barberio, G., De Luca, F., Morabito, L., & Parmiani, S. (2001). Prevention of new sensitizations in asthmatic children monosensitized to house dust mite by specific immunotherapy. A six-year follow-up study. *Clin Exp Allergy*, 31(9),1392-1397. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/11591189>
- Passalacqua, G. (2014). Specific immunotherapy in asthma: a comprehensive review. *J Asthma*, 51(1), 29-33. doi: 10.3109/02770903.2013.853082. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/24219841>
- Passalacqua, G., & Canonica, G.W. (2011). Specific immunotherapy in asthma: efficacy and safety. *Clin Exp Allergy*, 41(9), 1247-1256. doi: 10.1111/j.1365-2222.2010.03688. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/21255159>
- Patel, S., Rossow, K. L., Williams, B. J., Li, J.T., & Rank, M. A. (2013). Errors in allergen immunotherapy administration: a system assessment. *Ann Allergy Asthma Immunol*, 110(3), 205-206. DOI: 10.1016/j.anai.2012.12.005. Retrieved from [https://www.annallergy.org/article/S1081-1206\(12\)00996-9/fulltext](https://www.annallergy.org/article/S1081-1206(12)00996-9/fulltext)
- Pham, N. H., Baldo, B. A., Bass, D. J. (1994). Cypress pollen allergy. Identification of allergens and crossreactivity between divergent species. *Clin Exp Allergy*, 24(6), 558-565. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/7522944>
- Pitsios, C., Demoly, P., Bilò, M. B., Gerth van Wijk, R., Pfaar, O., ... Calderón, M. A. (2015). Clinical contraindications to allergen immunotherapy: an EAACI position paper. *Allergy*, 70(8):897-909. DOI: 10.1111/all.12638. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/25913519>
- Radulovic, S., Calderon, M. A., Wilson, D., & Durham, S. (2010) Sublingual immunotherapy for allergic rhinitis. *Cochrane Database Syst Rev*:CD002893. doi: 10.1002/14651858.cd002893. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/21154351>
- Radulovic, S., Wilson, D., Calderon, M., & Durham, S. (2011). Systematic reviews of sublingual immunotherapy (SLIT). *Allergy*, 66(6), 740-752. doi: 10.1111/j.1398-9995.2011.02583.x. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/21443635>

- Ridolo, E., Martignago, I., Riario-Sforza, G. G. & Incorvaia, C. (2018). Allergen immunotherapy in atopic dermatitis. *Expert Rev Clin Immunol*, 14(1), 61-68. doi: 10.1080/1744666X.2018.1401469. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/29110542>
- Serrano, P., Justicia, J. L., Sanchez, C., Cimarra, M., Fernandez-Tavora, L., Orovitg, A.,... Alva V (2009) Systemic tolerability of specific subcutaneous immunotherapy with index-of-reactivity-standardized allergen extracts administered using clustered regimens: a retrospective, observational, multicenter study. *Ann Allergy Asthma Immunol* 102:247-52. doi: 10.1016/S1081-1206(10)60088-9. Retrieved from <https://www.sciencedirect.com/science/article/abs/pii/S1081120610600889>
- Shaikh, W. A. & Shaikh, S. W. (2012). A prospective study on the safety of sublingual immunotherapy in pregnancy. *Allergy*, 67(6), 741-743. doi: 10.1111/j.1398-9995.2012.02815.x. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/22486626>
- Tabar, A. I., Echechipia, S., Garcia, B. E., Olaguibel, J. M., Lizaso, M. T., Gomez, B... Marcotegui, F. (2005). Double-blind comparative study of cluster and conventional immunotherapy schedules with *Dermatophagoides pteronyssinus*. *J Allergy Clin Immunol*, 116(1), 109-118. doi: 10.1016/j.jaci.2005.05.005. Retrieved from [https://www.jacionline.org/article/S0091-6749\(05\)01286-8/abstract](https://www.jacionline.org/article/S0091-6749(05)01286-8/abstract)
- Tam, H., Calderon, M. A. & Boyle, R. J. (2013) Efficacy of allergen-specific immunotherapy for patients with atopic dermatitis. *J Allergy Clin Immunol*, 132, 1012-1013. doi: 10.1016/j.jaci.2013.07.021. <https://www.ncbi.nlm.nih.gov/pubmed/23993878>
- Tankersley, M. S., Butler, K. K., Butler, W. K., & Goetz, D. W. (2000). Local reactions during AIT do not require dose adjustment. *J Allergy Clin Immunol*, 106(5), 840-843. DOI: 10.1067/mai.2000.110468. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/11080704>
- Tao, L., Shi, B., Shi, G., & Wan, H. (2014). Efficacy of Sublingual Immunotherapy for Allergic Asthma: retrospective meta-analysis of randomized, double-blind, and placebo-controlled trials. *Clin Respir J*, 8(2), 192-205. doi: 10.1111/crj.12058. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/24118881>

- Tinkelman, D. G., Cole, W.Q. 3rd & Tunno, J. (1995) Immunotherapy: a one-year prospective study to evaluate risk factors of systemic reactions. *J Allergy Clin Immunol*, 95(1), 8-14. doi: [10.1016/S0091-6749\(95\)70146-X](https://doi.org/10.1016/S0091-6749(95)70146-X). Retrieved from [https://www.jacionline.org/article/S0091-6749\(95\)70146-X/fulltext](https://www.jacionline.org/article/S0091-6749(95)70146-X/fulltext)
- Umetsu, D. T., Hahn, J. S., Perez-Atayde, A. R. & Geha, R. S. (1985). Serum sickness triggered by anaphylaxis: a complication of immunotherapy. *J Allergy Clin Immunol*, 76(5):713-718. DOI: 10.1016/0091-6749(85)90676-1. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/4056255>
- Walls, R. S., & Bass, D.A. (1997). Common inhalant allergens of Australia. In Proceedings of the 5th West-Pacific Allergy Symposium and 7th Korea-Japan Allergy Symposium. Ed Chein-Soo Hong. Moduzzi Editore, Bologna, Pp 41-49.
- Wöhrl, S., Gamper, S., Hemmer, W., Heinze, G., Stingl, G. & Kinaciyan, T. (2007). Premedication with montelukast reduces local reactions of allergen immunotherapy. *Int Arch Allergy Immunol*, 144(2), 137–142. DOI: 10.1159/000103225. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/17536222>
- Yukselen, A., Kendirli, S. G., Yilmaz, M., Altintas, D. U. & Karakoc, G. B. (2013). Two year follow-up of clinical and inflammation parameters in children monosensitized to mites undergoing subcutaneous and sublingual immunotherapy. *Asian Pac J Allergy Immunol*, 31(3), 233-241. doi: 10.12932/ap0276.31.3.2013. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/24053706>
- Zhang, L., Wang, C., Han, D., Wang, X., Zhao, Y. & Liu, J. (2009). Comparative study of cluster and conventional immunotherapy schedules with dermatophagoides pteronyssinus in the treatment of persistent allergic rhinitis. *Int Arch Allergy Immunol*, 148:161-169. doi: 10.1159/000155747. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/18802361>