



References

Venom Immunotherapy

A Guide for Clinical Immunology/Allergy Specialists

- Abramson, M. J., Puy, R. M., & Weiner, J. M. (2010). Injection allergen immunotherapy for asthma. *Cochrane Database Syst Rev*, 4(8):CD001186. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/20687065>
- Alessandrini, A. E., Berra, D., Rizzini, F. L., Mauro, M., Melchiorre, A., Rossi, F., & Burastero, S. E. (2006). Flexible approaches in the design of subcutaneous immunotherapy protocols for Hymenoptera venom allergy. *Ann Allergy Asthma Immunol*, 97(1), 92-97. DOI: 10.1016/S1081 – 1206(10)61376-2. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/16892788>
- Alvarez-Twose, I., Zanotti, R., Gonzalez-de-Olano, D., Bonadonna, P., Vega, A., Matito, A., & Escribano, L. (2014). Nonaggressive systemic mastocytosis (SM) without skin lesions associated with insect induced anaphylaxis shows unique features versus other indolent SM. *J Allergy Clin Immunol*, 133(2), 520-528. DOI: 10.1016/j.jaci.2013.06.020. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/23921094>
- Baena-Cagnani, C. E., Patiño C. M., & Cáceres, M. S. (1987). Pollinosis: some immunologic and regional considerations and the description of Melia azedarach respiratory allergy. *Allergol Immunopathol (Madr)*, 15(6), 393-397. PMID: 2895575. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/2895575>
- Bernstein, J. A., Kagen, S. L., Bernstein, D. I., & Bernstein, I. L. (1994). Rapid venom immunotherapy is safe for routine use in the treatment of patients with Hymenoptera anaphylaxis. *Ann Allergy*, 73(5), 423-428. PMID: 7978535. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/7978535>
- Birnbaum, J., Charpin, D., & Vervloet, D. (1993). Rapid Hymenoptera venom immunotherapy: comparative safety of three protocols. *Clin Exp Allergy*, 23(3), 226-230. PMID: 8472191. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/8472191>
- Bonadonna, P., Perbellini, O., Passalacqua, G., Caruso, B., Colarossi, S., Dal Fior, D., Zanotti, R. (2009). Clonal mast cell disorders in patients with systemic reactions to Hymenoptera stings and increased serum tryptase levels. *J Allergy Clin Immunol*, 123(3), 680-686. DOI: 10.1016/j.jaci.2008.11.018. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/19135713>

- Boyle, R. J., Elremeli, M., Hockenhull, J., Cherry, M. G., Bulsara, M. K., Daniels, M., Oude Elberink, J. N. (2012). Venom immunotherapy for preventing allergic reactions to insect stings. *Cochrane Database Syst Rev*, 17;10:CD008838. DOI: 10.1002/14651858.CD008838.pub2. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/23076950>
- Brown, S. G. A., Franks, R. W., Baldo, B. A., & Heddle, R. J. (2003). Prevalence, severity and natural history of jack jumper ant venom in Tasmania. *J Allergy Clin Immunol*, 111,187-192. PMID: 12532117. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/12532117>
- Brown, S. G. A., van Eeden, P., Wiese, M. D., Mullins, R. J., Solley, G. O., Puy, R. P., Taylor, R. W., & Heddle, R. J. (2011). Causes of ant sting anaphylaxis in Australia: the Australian Ant Venom Allergy Study. *Med J Aust*, 195, 69-73. doi: 10.5694/j.1326-5377.2011.tb03209.x. Retrieved from <https://www.mja.com.au/journal/2011/195/2/causes-ant-sting-anaphylaxis-australia-australian-ant-venom-allergy-study>
- Brown, S. G., Wiese, M. D., van Eeden, P., Stone, S. F., Chuter, C. L., Gunner, J., Wanandy, T...Heddle, R. J. (2012). Ultrarush versus semirush initiation of insect venom immunotherapy: a randomised controlled trial. *J Allergy Clin Immunol*, 130 (1), 162–168. DOI: 10.1016/j.jaci.2012.02.022. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/22460067>
- Brown, S. G., Wiese, M. D., van Eeden, P., Stone, S.F., Chuter, C. L., Gunner, J., Wanandy, T., Phillips, M., Heddle, R. J. (2012). Ultrarush versus semirush initiation of insect venom immunotherapy: a randomized controlled trial. *J Allergy Clin Immunol*, 130(1), 162-168. doi: 10.1016/j.jaci.2012.02.022. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/22460067>
- Brown, T. C. (2013). Reactions to honeybee stings: an allergic prospective. *Curr Opin Allergy Clin Immunol*, 13, 365-371. doi: 10.1097/ACI.0b013e3283625144. <https://www.ncbi.nlm.nih.gov/pubmed/23799332>
- Golden, D. B. (2013). New directions in diagnostic evaluation of insect allergy. *Curr Opin Allergy Clin Immunol*, 14, 334-339. DOI: 10.1097/ACI.0000000000000072. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/24915545>
- Calabria, C. W., Coop, C. A., & Tankersley, M. S. (2008). The GILL study: glycerin-induced local reactions in immunotherapy. *J Allergy Clin Immunol*, 121(1), 222-226. DOI: 10.1016/j.jaci.2007.08.016. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/17919703>
- Calabria, C. W., Coop, C. A., & Tankersley, M. S. (2009). The LOCAL Study: Local reactions do not predict local reactions in allergen immunotherapy. *J Allergy Clin Immunol*, 124(4), 739-744. doi: 10.1016/j.jaci.2009.07.048. Epub 2009 Sep 19. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/19767075>

- Calderon, M. A., Boyle, R. J., Penagos, M., & Sheikh, A. (2011). Immunotherapy: The meta-analyses. What have we Learned? *Immunol Allergy Clin North Am*, 31(2), 159-173, vii. doi: 10.1016/j.iac.2011.02.002. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/21530812>
- Ciprandi, G., Incorvaia, C., Dell'albani, I., Ricciardi, L., Puccinelli, P., & Frati, F., RINOBIT Study Group. (2014). Patients' perception in assessing allergen immunotherapy. *Allergol Immunopathol (Madr)*, 42(6), 629-631. PMID: 24269181. DOI: 10.1016/j.aller.2013.07.006. Epub 2013 Oct 23. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/24269181>
- Naish, P. F., & Mucklow, J. C. (1986). Desensitising vaccines: an allergist's view. *Br Med J (Clin Red Ed)*, 293 (6555), 1170. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1341867/>
- Coop, C. A., Yip, S. K., & Tankersley, M. S. (2014). The dry needle technique. *Ann Allergy Asthma Immunol*, (113), 120-121. Retrieved from [https://www.annallergy.org/article/S1081-1206\(14\)00310-X/abstract](https://www.annallergy.org/article/S1081-1206(14)00310-X/abstract)
- Cox, L. S., Hankin, C., & Lockey, R. (2014). Allergy immunotherapy adherence and delivery route: location does not matter. *J Allergy Clin Immunol Pract.*, 2(2), 156-160. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/24607042>
- Cox, L. S., Larenas Linnemann, D., Nolte, H., Weldon, D., Finegold, I., & Nelson, H. S. (2006). Sublingual immunotherapy: A comprehensive review. *J Allergy Clin Immunol*, 117(5), 1021-1035. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/16675328>
- De Bandt, M., Atassi-Dumont, M., Kahn, M. F., & Herman, D. (1997). Serum sickness after wasp venom immunotherapy: clinical and biological study. *J Rheumatol*. 24(6), 1195-1197. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/9195533>
- Des Roches, A., Paradis, L., Menardo, J. L., Bouges, S., Daures, J. P. & Bousquet, J. (1997). Immunotherapy with a standardized Dermatophagoides pteronyssinus extract. VI. Specific immunotherapy prevents the onset of new sensitizations in children. *J Allergy Clin Immunol*, 99(4), 450-453. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/9111487>
- Douglas, R.G., Weiner, J. M., Abrahamson, M. J., & O'Hehir, R. E. (1998). Prevalence of severe ant-venom allergy in southeastern Australia. *J Allergy Clin Immunol*, 101(1), 129-131. Retrieved from [https://www.jacionline.org/article/S0091-6749\(98\)70206-4/fulltext](https://www.jacionline.org/article/S0091-6749(98)70206-4/fulltext)
- Epstein, T. G., Liss, G. M., Murphy-Berendts, K., Bernstein, D. (2011). Immediate and delayed-onset systemic reactions after subcutaneous immunotherapy injections: ACAAI/AAAAI surveillance study of subcutaneous immunotherapy-year 2. *Ann Allergy Asthma Immunol*, 107(5), 426-431. Retrieved from <https://www.sciencedirect.com/science/article/pii/S1081120611003875>

- Golden, D. B. K. (2005). Insect sting allergy and venom immunotherapy: A model and a mystery. *J Allergy Clin Immunol*; 115(3), 439-447. Retrieved from [https://www.jacionline.org/article/S0091-6749\(05\)00020-5/abstract](https://www.jacionline.org/article/S0091-6749(05)00020-5/abstract)
- Golden, D. B. K., Kagey-Sobotka, A., Norman, P. S., Hamilton, R.G., & Lichtenstein, L. M. (2001). Insect allergy with negative skin tests. *JACI*, 107, 897-901. Retrieved from [https://www.jacionline.org/article/S0091-6749\(01\)42836-3/fulltext](https://www.jacionline.org/article/S0091-6749(01)42836-3/fulltext)
- Golden, D. B., Demain, J., Freeman, T., Graft, D., Tankersley, M., Tracy, J., Blessing-Moore, J., Bernstein, D., Wallace, D. (2017). Stinging insect hypersensitivity: A practice parameter update 2016. *Ann Allergy Asthma Immunol*,. 118(1), 28-54. doi: 10.1016/j.anai.2016.10.031. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/28007086>
- Golden, D. B., Kelly, D., Hamilton, R. G., Craig, T. J. (2009). Venom immunotherapy reduces large local reactions to insect stings. *J Allergy Clin Immunol*, 123(6), 1371-1375. doi: 10.1016/j.jaci.2009.03.017. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/19443022>
- Graft, D. F., Schuberth, K. C., Kagey-Sobotka, A., Kwiterovich, K. A., Niv, Y., Lichtenstein, L. M. & Valentine, M. D. (1987) Assessment of prolonged venom immunotherapy in children. *J Allergy Clin Immunol*, 80(2),162-169.Retrieved from <https://www.sciencedirect.com/science/article/pii/0091674987901254>
- Hamilton, R. H., Wisenauer, J.A., Golden, D. B. K. (1993). Selection of Hymenoptera venoms for immunotherapy based on patients' IgE antibody cross-reactivity. *JACI*, 92(5), 651-659. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/8227855>
- Hunt, K. J., Valentine, M. D., Sobotka, A. K., Benton, A. W., Amodio, F. J., Lichtenstein, L. M. (1978) A controlled trial of immunotherapy in insect hypersensitivity. *N Engl J Med*, 299(4),157-161. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/78446>
- Kette, F., Smith, W. (2011). Sublingual immunotherapy: Allergen specific or placebo effect? *J Allergy Clin Immunol*, 128(2), 430. Retrieved from [https://www.jacionline.org/article/S0091-6749\(11\)00749-4/fulltext](https://www.jacionline.org/article/S0091-6749(11)00749-4/fulltext)
- Korosec, P., Valenta, R., Mitterman, I., Celesnik, N., Erzen, R., Zidarn, M., & Kosnik, M.(2011). Low sensitivity of commercially available rApi m 1 for diagnosis of honey bee venom allergy. *JACI*,128(3), 671-673. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/21481443>
- Larenas-Linnemann, D., Blaiss, M., Van Bever, H. P., Compalati, E., & Baena-Cagnani, C. E. (2013). Pediatric sublingual immunotherapy efficacy: evidence analysis, 2009-2012. *Ann Allergy Asthma Immunol*, 110, 402-415. doi: 10.1016/j.anai.2013.02.017. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/23706708>
-

- Martinez-Canavate, A., Eseverri, J. L., Rodenas, R., Tabar, A.I., Gardee, J., Torres, J., Bone, J., & Pedemonte, C. (2005). Evaluation of paediatric tolerance to an extract of *Alternaria alternata* under two treatment regimes. A multicentre study. *Allergol Immunopathol (Madr)*, 33(3), 138-141. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/15946625>
- Mueller, U., Helbling, A., & Berchtold, E. (1992) Immunotherapy with honeybee venom and yellow jacket venom is different regarding efficacy and safety. *J Allergy Clin Immunol*, 89(2), 529-535. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/1740583>
- Mueller, U. R. (2007). Cardiovascular disease and anaphylaxis. *Curr Opin Allergy Clin Immunol*, 7(4), 337-341. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/17620826>
- Passalacqua, G. (2014). Specific immunotherapy in asthma: a comprehensive review. *J Asthma*, 51(1), 29-33. doi: 10.3109/02770903.2013.853082. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/24219841>
- Passalacqua, G., & Canonica, G.W. (2011). Specific immunotherapy in asthma: efficacy and safety. *Clin Exp Allergy*, 41(9), 1247-1256. doi: 10.1111/j.1365-2222.2010.03688. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/21255159>
- Pitsios, C., Demoly, P., Bilo, M. B., Gerth van Wijk, R., Pfaar, O., Sturm, G. J., Rodriguez del Rio, P., Tsoumani, M., Calderon, M. A. (2015). Clinical contraindications to allergen immunotherapy: an EAACI position paper. *Allergy* (70), 897-909. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/25913519>
- Radulovic, S., Wilson, D., Calderon, M., & Durham, S. (2011). Systematic reviews of sublingual immunotherapy (SLIT). *Allergy*, 66(6), 740-752. doi: 10.1111/j.1398-9995.2011.02583.x. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/21443635>
- Reisman, R. E. (1991). Unusual reactions to insect venoms. *Allergy Proc*, 12(6), 395-399. Retrieved from <https://search.proquest.com/openview/d7eeded8cad33ce2b09afa1fc4ad4491/1?pq-origsite=gscholar&cbl=28636>
- Reisman, R. E., Dvorin, D. J., Randolph, C. C., & Georgitis, J. W. (1985) Stinging insect allergy: natural history and modification with venom immunotherapy. *J Allergy Clin Immunol*, 75(6), 735-740. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/4008803>
- Reisman, R. E., & Livingston, A. (1989). Late-onset allergic reactions, including serum sickness, after insect stings. *J Allergy Clin Immunol*, 84(3), 331-337. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/2778239>

- Roy, S. R., Sigmon, J. R., Olivier, J., Moffitt, J. E., Brown, D. A., & Marshall, G. D. (2007). Increased frequency of large local reactions among systemic reactors during subcutaneous allergen immunotherapy. *Ann Allergy Asthma Immunol*; 99(1), 82–86. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/17650835>
- Roberts-Thomson, P. J., Harvey, P., Sperber, S., Kupa, A., & Heddle, R. J. (1985). Bee sting anaphylaxis in an urban population of South Australia. *Asian Pac J Allergy Immunol*, 3(2), 161-164. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/4074474>
- Rueff, F., Przybilla, B., Bilo, M. B., Muller, U., Scheipl, F., Aberer, W.,... Wuthrich, B. (2010) Predictors of side effects during the buildup phase of venom immunotherapy for Hymenoptera venom allergy: the importance of baseline serum tryptase. *J Allergy Clin Immunol*, 126(1), 105-111 e5. doi: 10.1016/j.jaci.2010.04.025. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/20542320>
- Scribner, T. A., & Bernstein, D. I. (2003) Rapid venom immunotherapy update. *Curr Opin Allergy Clin Immunol*, 3(4), 295-298. doi: 10.1097/01.all.0000083960.99396.97. Retrieved from https://www.researchgate.net/publication/10657659_Rapid_venom_immunotherapy_update
- Serrano, P., Justicia, J. L., Sanchez, C., Cimarra, M., Fernandez-Tavora, L., Orovitg, A., Moreno, C., Guerra, F., & Alva, V. (2009) Systemic tolerability of specific subcutaneous immunotherapy with index-of-reactivity-standardized allergen extracts administered using clustered regimens: a retrospective, observational, multicenter study. *Ann Allergy Asthma Immunol*, 102(3), 247-252. doi: 10.1016/S1081-1206(10)60088-9. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/19354072>
- Shaikh, W. A., & Shaikh, S. W.(2012). A prospective study on the safety of sublingual immunotherapy in pregnancy. *Allergy*.67(6), 741-743. doi: 10.1111/j.1398-9995.2012.02815.x. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/22486626>
- Stuckey, M., Cobain, T., Sears, M., Cheney, J., & Dawkins, R. L. (1982). Bee venom hyper-sensitivity in Busselton. *Lancet*, 2(8288), 41. DOI:10.1016/s0140-6736(82)91172-2. Retrieved from [https://www.thelancet.com/journals/lancet/article/PIIS0140-6736\(82\)91172-2/fulltext](https://www.thelancet.com/journals/lancet/article/PIIS0140-6736(82)91172-2/fulltext)
- Tankersley, M. S., Butler, K. K., Butler, W. K., Goetz, D. W.(2000). Local reactions during AIT do not require dose adjustment. *J Allergy Clin Immunol*;106(5), 840-843. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/11080704>
- Tinkelman, D. G., Cole, W. Q., & Tunno, J. (1995) Immunotherapy: a one-year prospective study to evaluate risk factors of systemic reactions. *J Allergy Clin Immunol*, 95(1), 8-14. DOI: 10.1016/S0091-6749(95)70146-X. Retrieved from [https://www.jacionline.org/article/S0091-6749\(95\)70146-X/abstract](https://www.jacionline.org/article/S0091-6749(95)70146-X/abstract)
-

- Umetsu, D. T., Hahn, J. S., Perez-Atayde, A. R., & Geha, R. S. (1985). Serum sickness triggered by anaphylaxis: a complication of immunotherapy. *J Allergy Clin Immunol*, 76(5), 713-718. PMID:4056255. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/4056255>
- Van Wye, J. E., Hsu, Y. P., Terr, A. I., Moss, R. B., & Lane, R. S. (1991). Anaphylaxis from a tick bite. *N Engl J Med*, 324(11), 777-778. PMID:1997849. Retrieved from <https://www.nejm.org/doi/full/10.1056/NEJM199103143241118>